

YKHC

Modified Pediatric Early Warning Score
(mPEWS)

Age-Specific Scoring Guide



9/12/2015

mPEWS <90 days

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 113-171	1 point 103-112 172-186
RR	0 points 27-62	1 point 22-26 63-76
SBP	0 points 60-90	1 point 50-59 91-110
Oxygen	0 points >95%	1 point 90-95%
		<90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 3-6 months

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 108-167	2 points 98-107 168-182
RR	0 points 25-58	1 point 21-24 59-71
SBP	0 points 80-110	1 point 70-79 111-120
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 6-9 months

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 104-163	2 points 94-103 164-178
RR	0 points 23-54	1 point 20-22 55-67
SBP	0 points 80-110	1 point 70-79 111-120
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 9-12 months

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 101-160	2 points 91-100 161-176
RR	0 points 21-48	1 point 18-20 49-60
SBP	0 points 80-110	1 point 70-79 111-120
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 12-18 months

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 97-157	1 point 87-96 158-173
RR	0 points 20-45	1 point 16-19 46-57
SBP	0 points 90-120	1 point 75-89 121-130
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 18-24 months

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 92-154	1 point 82-91 155-170
RR	0 points 18-42	1 point 16-17 43-54
SBP	0 points 90-120	1 point 75-89 121-130
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 2-3 years

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 87-150	1 point 77-86 151-167
RR	0 points 18-42	1 point 16-17 43-54
SBP	0 points 90-120	1 point 75-89 121-130
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 3-4 years

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 82-146	1 point 71-81 147-164
RR	0 points 18-40	1 point 15-17 41-52
SBP	0 points 90-120	1 point 75-89 121-130
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 4-6 years

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 77-142	1 point 68-76 143-161
RR	0 points 17-37	1 point 14-16 38-50
SBP	0 points 90-120	1 point 80-89 121-130
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 6-8 years

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 71-137	1 point 61-70 138-155
RR	0 points 16-35	1 point 13-15 36-46
SBP	0 points 90-120	1 point 80-89 121-130
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 8-12 years

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 66-129	1 point 56-65 130-147
RR	0 points 15-31	1 point 13-14 32-41
SBP	0 points 90-120	1 point 80-89 121-130
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS 12-15 years

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 61-121	1 point 51-60 122-138
RR	0 points 13-28	1 point 11-12 29-35
SBP	0 points 100-130	1 point 85-99 131-150
Oxygen	0 points >95%	1 point 90-95% <90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours

mPEWS >15 years

1 point for each		
PMH	<input type="checkbox"/> Baseline supplemental oxygen requirement (home oxygen) <input type="checkbox"/> Previous ICU admission	<input type="checkbox"/> Heart disease or surgery <input type="checkbox"/> Severe neurologic abnormality (CP, severe developmental delay, etc.) <input type="checkbox"/> Gastrostomy tube
LOC	0 points Alert, awake, asleep, or arouses easily	2 points Agitated, anxious, lethargic, confused, or irritable
Temp	0 points 96.8 – 101.1°F	1 point 95.2-96.7°F 101.2-104°F
HR	0 points 57-115	1 point 48-56 116-132
RR	0 points 13-26	1 point 11-12 27-32
SBP	0 points 100-130	1 point 85-99 131-150
Oxygen	0 points >95%	1 point 90-95%
		<90% or on supplemental oxygen
IVF	0 points none	1 point 10 mL/kg within last 8 hours
		2 points >10 mL/kg within last 8 hours