

# Tobacco Screenings

Vikki Galanopoulos

Tobacco Prevention & Cessation Coordinator


# Objectives

- Describe the benefits of a brief intervention
- Identify resources
- Use the brief tobacco intervention



# Who is Using Tobacco?


## Southwest Region



## Health Impacts

### Risks from Smoking

Smoking can damage nearly every part of your body



## Tobacco Screenings


1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. The Brief Intervention
4. Provider Demonstrations
5. The Referral
6. Pharmacotherapy

A close-up photograph of a man with a light-colored beard and mustache, wearing a blue shirt. He is looking down at a cigarette in a glass ashtray. The ashtray contains several discarded cigarette butts and ash. The text "70% of smokers want to quit" is overlaid in the center of the image.

**70% of smokers want to quit**

# Tobacco Screenings


Tobacco Screenings	
1.	Who is Using Tobacco?
2.	<b>YKHC Tobacco Screenings</b>
3.	The Brief Intervention
4.	Provider Demonstrations
5.	The Referral
6.	Pharmacotherapy



# YKHC Tobacco Screenings


## Tobacco Screenings

1. Who is Using Tobacco?
2. **YKHC Tobacco Screenings**
3. The Brief Intervention
4. Provider Demonstrations
5. The Referral
6. Pharmacotherapy



# The Brief Tobacco Intervention

- Less than 3 minutes
- Can be used in any type of health care setting
- Increases patient quit attempts
  - Surgeon General suggest the Brief Tobacco Intervention could reduce tobacco use by 20%




## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. **The Brief Intervention**
4. Provider Demonstrations
5. The Referral
6. Pharmacotherapy

# The Brief Intervention

- Best Practice




## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. **The Brief Intervention**
4. Provider Demonstrations
5. The Referral
6. Pharmacotherapy




# The Brief Intervention



## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. **The Brief Intervention**
4. Provider Demonstrations
5. The Referral
6. Pharmacotherapy

# The Brief Intervention



## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. **The Brief Intervention**
4. Provider Demonstrations
5. The Referral
6. Pharmacotherapy


# Provider Demonstrations



## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. The Brief Intervention
4. **Provider Demonstrations**
5. The Referral
6. Pharmacotherapy

# Family Practice



## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. The Brief Intervention
4. **Provider Demonstrations**
5. The Referral
6. Pharmacotherapy

# Substance Abuse Counselor

## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. The Brief Intervention
4. **Provider Demonstrations**
5. The Referral
6. Pharmacotherapy

# Inpatient Treatment Provider

## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. The Brief Intervention
4. **Provider Demonstrations**
5. The Referral
6. Pharmacotherapy

# Dentist

## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. The Brief Intervention
4. **Provider Demonstrations**
5. The Referral
6. Pharmacotherapy

# CHAP

## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. The Brief Intervention
4. **Provider Demonstrations**
5. The Referral
6. Pharmacotherapy



# Pharmacist

## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. The Brief Intervention
4. **Provider Demonstrations**
5. The Referral
6. Pharmacotherapy

# The Referral

- YKHC Tobacco Cessation Program
  - Internal within tobacco social history
  - Add order – E.H.R.
    - 52 week program combines counseling + medications
- Alaska Tobacco Quit line
  - Phone (1-800-quit now)
  - Fax Referral
    - Five counseling sessions + 2-4 weeks of NRT

## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. The Brief Intervention
4. Provider Demonstrations
5. **The Referral**
6. Pharmacotherapy

# Pharmacotherapy

- Nicotine Replacement Therapies (NRT)
  - Gum, Lozenges, Patch, Inhaler, Nasal Spray



- Non-NRT medications
  - Varenicline (Chantix)
  - Bupropion SR (wellbutrin, Zyban)



## Tobacco Screenings

1. Who is Using Tobacco?
2. YKHC Tobacco Screenings
3. The Brief Intervention
4. Provider Demonstrations
5. The Referral
6. **Pharmacotherapy**



Questions?

907-545-0841

[victoria\\_galanopoulos@ykhc.org](mailto:victoria_galanopoulos@ykhc.org)